

Community Health Assessment 2



Teen Survey Results- Community Groups



Overview of Survey

ANU:

Total Surveyed: 81 people were surveyed.

Gender: 67% of the respondents were female.

Age Group: 44% of the respondents were under 15 years old, 49% of the respondents were 15 to 17 years old, and 7% of the respondents were 18 or 19 years old.

Race/Ethnicity: The race/ethnic mix of the respondents were 61% White, 30% Latino, 4% Black, and 5% Asian/Other.

Overall Health: 77% of the respondents considered their health good or very good.

CPHC:

Total Surveyed: 38 people were surveyed.

Gender: 58% of the respondents were female.

Age Group: 47% of the respondents were under 15 years old, 34% of the respondents were 15 to 17 years old, and 19% of the respondents were 18 or 19 years old.

Race/Ethnicity: The race/ethnic mix of the respondents were 53% White, 34% Latino, 11% Black, and 2% Asian/Other.

Have Children: 8% of the respondents have children.

Overall Health: 92% of the respondents considered their health good or very good.

WMKK:

Total Surveyed: 135 people were surveyed.

Gender: 70% of the respondents were female.

Age Group: 10% of the respondents were under 15 years old, 65% of the respondents were 15 to 17 years old, and 25% of the respondents were 18 or 19 years old.

Race/Ethnicity: The race/ethnic mix of the respondents were 15% White, 33% Latino, 36% Black, and 16% Asian/Other.

Have Children: 6% of the respondents have children.

Overall Health: 79% of the respondents considered their health good or very good.



Overview of Survey (Weighted)

ANU:

Total Surveyed: 81 people were surveyed.

Gender: 44% of the respondents were female.

Age Group: 47% of the respondents were under 15 years old, 48% of the respondents were 15 to 17 years old, and 5% of the respondents were 18 or 19 years old.

Race/Ethnicity: The race/ethnic mix of the respondents were 28% White, 65% Latino, and 7% Asian/Other.

Overall Health: 80% of the respondents considered their health good or very good.

CPHC:

Total Surveyed: 35 people were surveyed.

Gender: 43% of the respondents were female.

Age Group: 51% of the respondents were under 15 years old, 31% of the respondents were 15 to 17 years old, and 18% of the respondents were 18 or 19 years old.

Race/Ethnicity: The race/ethnic mix of the respondents were 41% White, 47% Latino, and 9% Asian/Other.

Have Children: 9% of the respondents have children.

Overall Health: 94% of the respondents considered their health good or very good.

WMKK:

Total Surveyed: 135 people were surveyed.

Gender: 50% of the respondents were female.

Age Group: 7% of the respondents were under 15 years old, 60% of the respondents were 15 to 17 years old, and 33% of the respondents were 18 or 19 years old.

Race/Ethnicity: The race/ethnic mix of the respondents were 17% White, 54% Latino, 4% Black, and 25% Asian/Other.

Have Children: 9% of the respondents have children.

Overall Health: 78% of the respondents considered their health good or very good.



Tobacco (Weighted Data)

ANU:

Tobacco Users: 49% of the respondents used tobacco products in their lifetime. 50% of tobacco using respondents have experimented with tobacco, but no longer use them. 20% of the tobacco-using respondents are current tobacco users. 20% of the tobacco-using respondents are former tobacco users.

Gender: 63% of the tobacco users were males.

Race/Ethnicity: The race/ethnic mix of the tobacco users were 28% White, 62% Latino, and 10% were Asian.

Overall Health: 84% of the tobacco users considered their health good or very good.

Depression: 18% of the tobacco users felt depressed in the past year.

Drink Alcohol: 41% of the tobacco users also drink alcohol.

CPHC:

Tobacco Users: 30% of the respondents used tobacco products in their lifetime.

Gender: 60% of the tobacco users were males.

Race/Ethnicity: The race/ethnic mix of the tobacco were 70% White.

Overall Health: 90% of the tobacco users considered their health good or very good.

Drink Alcohol: 50% of the tobacco users also drink alcohol.

WMKK:

Tobacco Users: 34% of the respondents used tobacco products in their lifetime. 27% of tobacco using respondents have experimented with tobacco, but no longer use them. 28% of tobacco using respondents are tobacco users, but are trying to quit. 13% of the tobacco-using respondents are current tobacco users. 13% of the tobacco-using respondents are former tobacco users.

Gender: 65% of the tobacco users were males.

Race/Ethnicity: The race/ethnic mix of the tobacco were 26% White, 52% Latino, and 15% were Asian.

Overall Health: 71% of the tobacco users considered their health good or very good.

Depression: 30% of the tobacco users felt depressed in the past year.

Drink Alcohol: 60% of the tobacco users also drink alcohol.

Drugs (Weighted Data)

Drugs:	ANU	CPHC	WMKK
Marijuana	37 (46%)	6 (17%)	56 (41%)
Inhalants	0 (0%)	0 (0%)	5 (4%)
Cocaine	3 (4%)	1 (3%)	16 (12%)
Heroine	0 (0%)	0 (0%)	4 (3%)
Methamphetamines	3 (4%)	3 (9%)	9 (7%)
Ecstasy	3 (4%)	1 (3%)	13 (10%)
GHB	0 (0%)	0 (0%)	4 (3%)
LSD	3 (4%)	0 (0%)	4 (3%)
Steroid pills/shots	1 (1%)	0 (0%)	5 (4%)
IV Drug Use	0 (0%)	1 (3%)	4 (3%)
Total Respondents	81	35	135



Alcohol (Weighted Data)

ANU:

Drink & Drive: 5% of the respondents were in a vehicle with a driver under the influence in the past month.

Alcohol Drinkers: 26% of the respondents have used alcohol in the last month.

Gender: 57% of the alcohol-drinking respondents were males.

Race/Ethnicity: The race/ethnic mix of the alcohol users were 25% White and 60% were Latino.

Depression: 24% of the alcohol users felt depressed in the past year.

How Much Days: 86% of the alcohol users drank less than 6 days in the past month.

Binge Drinking: 35% of the alcohol users binge drink.

CPHC:

Drink & Drive: 12% of the respondents were in a vehicle with a driver under the influence in the past month.

Alcohol Drinkers: 21% of the respondents have used alcohol in the last month.

Gender: 71% of the alcohol-drinking respondents were males.

Race/Ethnicity: The race/ethnic mix of the alcohol users were 71% were Latino.

How Much Days: 71% of the alcohol users drank less than 6 days in the past month.

WMKK:

Drink & Drive: 15% of the respondents were in a vehicle with a driver under the influence in the past month.

Alcohol Drinkers: 36% of the respondents have used alcohol in the last month.

Gender: 54% of the alcohol-drinking respondents were males.

Race/Ethnicity: The race/ethnic mix of the alcohol users were 24% White, 63% were Latino, and 11% were Asian.

Depression: 40% of the alcohol users felt depressed in the past year.

How Much Days: 68% of the alcohol users drank less than 6 days in the past month. 19% of the alcohol users drank more than 10 days in the past month.

Binge Drinking: 19% of the alcohol users binge drink.



Obesity/Nutrition (Weighted Data)

ANU:

Fast Food: 10% of the respondents never eat at fast food restaurants while 41% of the respondents eat at fast food places once a week. 14% of the respondents eat 5 or more times a week in a fast food restaurant.

Vegetables: 32% of the respondents eat vegetable five times a week or more while 21% never eat each vegetables.

Fruits: 29% of the respondents eat fruits five times a week or more while 9% never eat each fruits.

Dairy Products: 41% of the respondents eat dairy products at least 5 times a week while 6% never eat each dairy products.

Soda: 73% of the respondents drink soda at least 5 times a week.

Weight Loss: 7% of the respondents watch the fat/calories and 26% of the respondents uses exercise to control their weight. 77% of the respondents do not do anything to control their weight.

Exercise: 16% of the respondents never exercise while 67% of the respondents exercised 3 or more times in a week.

TV, Video/Computer Games: 18% of the respondents watch TV, or play video/computer games for less than an hour a day. 58% of the respondents watch TV, or play video/computer games for more than 2 hours a day.

Recreation: 14% of the respondents feel the availability of after school recreational options are good or very good in their neighborhood. 60% of the respondents feel the availability of after school recreational options are poor or very poor in their neighborhood.

CPHC:

Fast Food: 6% of the respondents never eat at fast food restaurants while 41% of the respondents eat at fast food places once a week.

Vegetables: 33% of the respondents eat vegetable five times a week or more.

Fruits: 32% of the respondents eat fruits five times a week or more.

Dairy Products: 55% of the respondents eat dairy products at least 5 times a week.

Soda: 44% of the respondents drink soda at least 5 times a week.

Weight Loss: 29% of the respondents watch the fat/calories and 60% of the respondents uses exercise to control their weight. 40% of the respondents do not do anything to control their weight.

Exercise: 75% of the respondents exercised 3 or more times in a week.

TV, Video/Computer Games: 11% of the respondents watch TV, or play video/computer games for less than an hour a day. 51% of the respondents watch TV, or play video/computer games for more than 2 hours a day.

Recreation: 27% of the respondents feel the availability of after school recreational options are good or very good in their neighborhood. 27% of the respondents feel the availability of after school recreational options are poor or very poor in their neighborhood.

WMKK:

Fast Food: 5% of the respondents never eat at fast food restaurants while 32% of the respondents eat at fast food places once a week. 22% of the respondents eat 5 or more times a week in a fast food restaurant.

Vegetables: 51% of the respondents eat vegetable five times a week or more while 4% never eat each vegetables.

Fruits: 54% of the respondents eat fruits five times a week or more.

Dairy Products: 60% of the respondents eat dairy products at least 5 times a week.

Soda: 50% of the respondents drink soda at least 5 times a week while 7% never drink sodas.

Weight Loss: 22% of the respondents watch the fat/calories, 8% take diet aids, and 41% of the respondents uses exercise to control their weight. 41% of the respondents do not do anything to control their weight.

Exercise: 15% of the respondents never exercise while 69% of the respondents exercised 3 or more times in a week.

TV, Video/Computer Games: 7% of the respondents watch TV, or play video/computer games for less than an hour a day. 60% of the respondents watch TV, or play video/computer games for more than 2 hours a day.

Recreation: 45% of the respondents feel the availability of after school recreational options are good or very good in their neighborhood. 18% of the respondents feel the availability of after school recreational options are poor or very poor in their neighborhood.

Sexual Behavior (Weighted Data)

ANU:

Sexual Information: 45% of the respondents thought the sexual education information at their school was helpful or very helpful.

12% of the respondents thought the sexual education information at their school was unhelpful or very unhelpful.

Sex: 53% of the respondents have had sexual intercourse. 27% of the sexually active respondents were under the age of 15, 66% of the sexually active respondents were between the ages of 15 and 17. 40% of the sexually active respondents were female. 63% of the sexually active respondents were Latino, 26% were White, and 12% were Asian.

Barriers to Birth Control: 9% of the sexually active respondents went without birth control supplies because it was too expensive.

28% of the sexually active respondents went without birth control supplies because they were too embarrassed. 26% of the sexually active respondents went without birth control supplies because they thought it was their partner's responsibility.

STDs: 6% of the respondents have had an STDs. 21% of the respondents have been tested, but did not have an STD. 73% of the respondents have never been tested. 72% of the sexually active respondents have never been tested for STDs. 31% of the respondents would go to a clinic, 34% of the respondents would go to a doctor, and 15% of the respondents would go to a hospital to get tested. 20% of the respondents would not know where to go to get tested for an STD.

CPHC:

Sexual Information: 60% of the respondents thought the sexual education information at their school was helpful or very helpful.

10% of the respondents thought the sexual education information at their school was unhelpful or very unhelpful.

Sex: 31% of the respondents have had sexual intercourse. 50% of the sexually active respondents were between the ages of 15 and 17. 40% of the sexually active respondents were female. 50% of the sexually active respondents were Latino and 40% were White.

Barriers to Birth Control: 40% of the sexually active respondents went without birth control supplies because they were too embarrassed.

STDs: 35% of the respondents have been tested, but did not have an STD. 65% of the respondents have never been tested. 50% of the sexually active respondents have never been tested for STDs. 26% of the respondents would go to a clinic and 47% of the respondents would go to a doctor to get tested. 21% of the respondents would not know where to go to get tested for an STD.

WMKK:

Sexual Information: 55% of the respondents thought the sexual education information at their school was helpful or very helpful.

11% of the respondents thought the sexual education information at their school was unhelpful or very unhelpful.

Sex: 42% of the respondents have had sexual intercourse. 56% of the sexually active respondents were between the ages of 15 and 17. 37% of the sexually active respondents were female. 56% of the sexually active respondents were Latino, 26% were White, and 13% were Asian.

Barriers to Birth Control: 19% of the sexually active respondents went without birth control supplies because it was too expensive.

13% of the sexually active respondents went without birth control supplies because they were too embarrassed. 17% of the sexually active respondents went without birth control supplies because they thought it was their partner's responsibility.

STDs: 27% of the respondents have been tested, but did not have an STD. 73% of the respondents have never been tested. 54% of the sexually active respondents have never been tested for STDs. 53% of the respondents would go to a clinic, 24% of the respondents would go to a doctor, and 5% of the respondents would go to a hospital to get tested. 18% of the respondents would not know where to go to get tested for an STD.

Birth Control Methods:	ANU	CPHC	WMKK
No Method	6 (14%)	2 (20%)	12 (22%)
Birth Control Pills	3 (7%)	3 (30%)	12 (22%)
Birth Control Patch	1 (2%)	0 (0%)	0 (0%)
Condoms	31 (72%)	6 (60%)	37 (69%)
Diaphragm	1 (2%)	1 (10%)	0 (0%)
Injectable Birth Control	2 (5%)	0 (0%)	0 (0%)
Withdrawal	0 (0%)	0 (0%)	4 (7%)
Don't know	4 (9%)	0 (0%)	1 (2%)
Total Respondents	43	10	54

Safety (Weighted Data)

ANU:

Seat Belt: 53% of the respondents always wear their seat belt. 20% of the respondents wear their seat belt half of the time or less.

Helmet: 10% of the respondents always wear their helmet. 78% of the respondents never wear their helmets.

Transportation: 8% of the respondent feel the public transportation is good or very good. 50% of the respondent feel the public transportation is poor or very poor.

Parent's Knowledge: 42% of the respondents have parents that always know where they are after school. 34% of the respondents have parents that know where they are after school half of the time or less.

Safety: 43% of the respondent feel their neighborhood is safe or very safe. 57% of the respondent feel their neighborhood is unsafe or very unsafe. 85% of the respondent feel their school is safe or very safe. 15% of the respondent feel their school is unsafe or very unsafe.

Crime: 11% of the respondents have been a victim of a violent crime in the last five years.

Firearm: 6% of the respondent have access to a firearm.

CPHC:

Seat Belt: 64% of the respondents always wear their seat belt. 21% of the respondents wear their seat belt half of the time or less.

Helmet: 16% of the respondents always wear their helmet. 53% of the respondents never wear their helmets.

Transportation: 16% of the respondent feel the public transportation is good or very good. 19% of the respondent feel the public transportation is poor or very poor.

Safety: 82% of the respondent feel their neighborhood is safe or very safe. 18% of the respondent feel their neighborhood is unsafe or very unsafe. 75% of the respondent feel their school is safe or very safe. 25% of the respondent feel their school is unsafe or very unsafe.

Parent's Knowledge: 53% of the respondents have parents that always know where they are after school. 25% of the respondents have parents that know where they are after school half of the time or less.

Crime: 23% of the respondents have been a victim of a violent crime in the last five years.

Firearm: 22% of the respondent have access to a firearm.

WMKK:

Seat Belt: 67% of the respondents always wear their seat belt. 16% of the respondents wear their seat belt half of the time or less.

Helmet: 10% of the respondents always wear their helmet. 50% of the respondents never wear their helmets.

Transportation: 37% of the respondent feel the public transportation is good or very good. 12% of the respondent feel the public transportation is poor or very poor.

Safety: 82% of the respondent feel their neighborhood is safe or very safe. 18% of the respondent feel their neighborhood is unsafe or very unsafe. 82% of the respondent feel their school is safe or very safe. 18% of the respondent feel their school is unsafe or very unsafe.

Parent's Knowledge: 50% of the respondents have parents that always know where they are after school. 29% of the respondents have parents that know where they are after school half of the time or less.

Crime: 11% of the respondents have been a victim of a violent crime in the last five years.

Firearm: 15% of the respondent have access to a firearm.

Medical Information (Weighted Data)

ANU:

Overall Health: 80% of the respondents thought their health was good or very good . 3% of the respondent thought their health was poor or very poor.

Medical Coverage: 64% of the respondents have medical coverage and 27% of the respondents do not know if they have medical coverage.

H.S.A.: 43% of the respondents have used SCHSA medical facilities for their health. 34% of the respondents do not know about the services provided by SCHSA.

Medical Care: 73% of the respondents get their medical care from a doctor. 21% of the respondents get their medical care from a hospital/ER. 13% of the respondents get their medical care from a clinic.

CPHC:

Overall Health: 94% of the respondents thought their health was good or very good .

Medical Coverage: 64% of the respondents have medical coverage and 24% of the respondents do not know if they have medical coverage.

H.S.A.: 32% of the respondents have used SCHSA medical facilities for their health. 41% of the respondents do not know about the services provided by SCHSA.

Medical Care: 80% of the respondents get their medical care from a doctor. 20% of the respondents get their medical care from a hospital/ER. 14% of the respondents get their medical care from a clinic.

WMKK:

Overall Health: 78% of the respondents thought their health was good or very good .

Medical Coverage: 67% of the respondents have medical coverage and 24% of the respondents do not know if they have medical coverage.

H.S.A.: 40% of the respondents have used SCHSA medical facilities for their health. 36% of the respondents do not know about the services provided by SCHSA.

Medical Care: 76% of the respondents get their medical care from a doctor. 19% of the respondents get their medical care from a hospital/ER. 7% of the respondents get their medical care from a clinic.

Health Information:	ANU	CPHC	WMKK
Family	66 (81%)	23 (66%)	66 (49%)
Doctor/PCP	37 (46%)	20 (57%)	87 (64%)
Friends	33 (41%)	11 (31%)	41 (30%)
Schools	25 (31%)	8 (23%)	30 (22%)
Community Workers	12 (15%)	6 (17%)	8 (6%)
TV	13 (16%)	12 (34%)	22 (16%)
Magazines	11 (14%)	3 (9%)	18 (13%)
Radio	7 (9%)	6 (17%)	19 (14%)
Newspaper	1 (1%)	7 (20%)	8 (6%)
Internet	3 (4%)	5 (14%)	12 (9%)
Medical Helpline	2 (2%)	5 (14%)	7 (5%)
Spiritual Leader	4 (5%)	1 (3%)	5 (4%)
Total Respondents	81	35	135